

PRODUCT GUIDE 2024

vitex.gr/en





- The leading Greek-owned architectural paints company.
- With the most advanced paint factory in Southeastern Europe. Certified and awarded for its high level operational and safety standards.
- With sales to over 20 countries around the globe.



ECO - EPD

Environmental Product Declaration

The ECO-EPD is an Environmental Product Declaration verified by an independent competent body and contributes to the formation of a complete responsible brand providing reliable and methodologically tested information for the evaluation of environmental impact. In accordance with international standards EN 15804 & ISO 14025 the ECO-EPD offers information for the environmental impact across their life cycle.

Symbol Glossary



Dilution rate with water



Touch drying time



Application by spray gun



Dilution rate with solvent



Application by brush



Application by spatula



Coverage



Application by roller



Application by stainless steel putty knife

Navigation Guide

A. In summary tables

1. **Select** the use

| General Use | Application | | | |
|-------------|--------------------|-------------------------|--------------------|-----------------|
| | High traffic areas | Hygiene sensitive areas | Area with humidity | Fire Protection |
| ✓ | ✓ | | | |
| ✓ | | | | |
| ✓ | | ✓ | | |

2. Check **basic characteristics**

| Characteristics | | |
|-----------------|----------------------|-----------------------|
| ECO | Wet scrub resistance | Vitex Coloring System |
| | | ✓ |
| | ✓ | ✓ |
| ✓ | ✓ | ✓ |

3. **Prepare** the surface properly before application

| Preparation | | |
|----------------------------|---------------------|--|
| Old / loose surfaces | Stained surfaces | New surfaces |
| Acrylan Unico Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unico Eco, Actópri Aspuluxó 100% |
| Acrylan Unico Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unico Eco, Actópri Aspuluxó 100% |
| Acrylan Unico Eco | Blanco Eco | Acrylan Unico Eco, Blanco Eco |

B. Check the detailed product characteristics in each category.

F. For optimal results, follow the How-To Paint guide for painting and protecting walls, ceilings, metallic and wooden surfaces.

Contents

Page

| | |
|-----------------------------|----|
| Certifications | 6 |
| Interior walls and ceilings | 12 |
| Exterior walls and roofs | 22 |
| Roof Insulations System | 32 |
| Metal and wooden surfaces | 34 |
| Wood and stone protection | 42 |
| Surface preparation | 50 |
| Construction applications | 58 |
| Special applications | 64 |
| How-To Paint Guide | 68 |

Environmental FOOTPRINT

The most comprehensive approach to capturing
product impacts on the environment

ECO-EPD

Environmental
Product Declaration

HOLISTIC ASSESSMENT

The ECO Environmental Declaration of
Vitextherm System, is listed in the
database of International EPD® System and the
European ECO PORTAL confirming the
accuracy and reliability of the assessment results

ETICS

**Certified External
Thermal Insulation System**
according to EAD 040083-00-0404



Life Cycle

It has been assessed for the environmental impact, in accordance with international standards EN 15804 & ISO 14025.

SUSTAINABLE Solution

Vitex offers integrated solutions for architectural paints with ECO Environmental Statements, listed in the database of European ECO PORTAL

Colors Catalysts SUSTAINABILITY

with ECO-EPD declarations:

Vitex with VAIRO, Vitex Care, Vitex Care Eggshell, Vitex Classic, Vitex Eco, Acrylan Max, Acrylan, Aquavit Eco

Environmental IMPACT

They are provided reliable and methodologically verified information for the evaluation of the environmental impact.



CERTIFICATIONS



VAIRO
Healthcare
Technology



ECO - EPD



Very low VOC
emissions
for best indoor
air quality



Microbiologically
tested



Ecological
paints



Hypoallergenic
Paint certified
from the
British Allergy
Foundation



Easy
to clean

| | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|
| Vitex with VAIRO | ✓ | ✓ | ✓ | | | | ✓ |
| Vitex Care Eggshell | | ✓ | ✓ | ✓ | | ✓ | ✓ |
| Vitex Care | | ✓ | ✓ | ✓ | | ✓ | ✓ |
| Vitex Classic | | ✓ | ✓ | | | | |
| Vitex Eco | | ✓ | ✓ | ✓ | ✓ | | |
| Vito Plus | | | | ✓ | | | |
| Vitex Kitchen and Bath | | | | | | | |
| Vito Eco | | | | | ✓ | | |
| Acrylan MAX | | ✓ | | | | | |
| Acrylan | | ✓ | | | | | |
| Acrylan Elastic | | | | | | | |
| Acrylan Silicon | | | | | | | |
| Acrylan Thermo-Block | | | | | | | |
| Vito Acrylic | | | | | | | |
| HyRoof Hybrid PU | | | | | | | |
| Vitacryl | | | | | | | |
| Vito Roof | | | | | | | |
| Acrylan Unco Eco | | | ✓ | | ✓ | | |
| Grip 360 Primer | | | ✓ | | | | |
| Blanco Eco | | | | | ✓ | | |
| Aquavit Eco | | ✓ | ✓ | ✓ | ✓ | | |
| Velatura Eco Water | | | ✓ | | ✓ | | |
| Platinum PU | | | | | | | |
| Diaxyl Plus Water | | | | | | | |
| Diaxyl Plus Solvent | | | | | | | |
| Lussolac Water | | | | | | | |
| Lussolac Solvent | | | | | | | |
| Decking Oil | | | | | | | |
| Marelac Water | | | | | | | |
| Marelac Solvent | | | | | | | |
| Wooden Floor Varnish | | | | | | | |
| Granikot Fire Resistant | | | | | | | |



High resistance to frequent wet scrubbing Paints suitable for children's toys Virtually odorless Green Building Rating System Anti-fungi paints Low CO₂ emissions Packaging of 50% recycled plastic "Cool" paints Paints with UV filters for protection from sunlight Paints with polyurethane resins for enhanced durability Fire Protection

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| ✓ | | ✓ | ✓ | ✓ | ✓ | | | | | |
| ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| ✓ | | ✓ | ✓ | | | | | | | |
| ✓ | | ✓ | ✓ | | | | | | | |
| | | ✓ | | | | | | | | |
| | | | | ✓ | | | | | | |
| | | | | | | | | | | |
| | | | | | ✓ | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | | | | | ✓ | | | |
| | | | ✓ | | | | | | | |
| | | | ✓ | | | | | | | |
| | | | | | | | | | | |
| | ✓ | | ✓ | | | | | ✓ | ✓ | |
| | | | ✓ | | | | | | | |
| | | | | | | | | | ✓ | |
| | | | | | | | | ✓ | ✓ | |
| | | | | | | | | ✓ | ✓ | |
| | ✓ | | | | | | | ✓ | | |
| | | | | | | | | ✓ | ✓ | |
| | | | | | | | | ✓ | ✓ | |
| | | | | | | | | ✓ | ✓ | |
| | | | | | | | | ✓ | ✓ | |
| | | | | | | | | | ✓ | |
| | | | | | | | | | | ✓ |

Vitex Care / Vitex Care Eggshell

Best -In- Class-overall performance mat or egg-shell emulsion wall paint. Top Care protection for surfaces, people and environment, with EPD (Environmental Product Declaration).



Vitex with Vairo

Antiviral and antibacterial eggshell emulsion wall paint for interior use.



Vitex Classic

Premium quality emulsion paint for interior use, with superior spreading rate and hiding power.



Delac

Transparent acrylic stone varnish. It enhances the natural color of the surface and protects the stone from humidity and stain absorption.

HyRoof Hybrid PU

Hybrid elastomeric waterproofing roof coating, certified for over 10 years of protection.



EXTERNAL THERMAL INSULATION AND ANTI-CRACK PROTECTION SYSTEM

Certified external Insulation Composite System that improves building's energy classification and reduces its maintenance cost.

3 in 1 solution: Thermal insulation - Plaster that can be colored - Unlimited number of color shades



Grip 360

Mat, waterborne multi-bonding primer. It offers great adhesion and anchorage on difficult absorbent and non-absorbent surfaces.




Heavy Metal Silicon Varnish

Solvent based silicon anticorrosive tough varnish. It offers excellent protection, maintaining the rusty effect image.

WATERPROOFING SOLUTIONS

Integrated waterproofing solutions
from foundations to roof! ✨



Acrylan Max

Ultra Durable Nano-Acrylic Paint.



Aquavit PU Eco

Ecological PU acrylic water based enamel
paint for interior and exterior use.



Heavy Metal Silicon

Solvent based silicon
alkyd tough enamel
with excellent durability.
Can be colored in
thousands of shades.



Diaxyl Plus

Protective and decorative
polyurethane water-based
penetration varnish for
interior and exterior wooden
surfaces.



Pool Paint

Two Component Solvent-
based Epoxy Paint For Pools

SPECIALISATION IN COLOR

Our specialized Chromatography department and our Chief Colorist closely collaborate with international color associations such as **Color Guild** and **NCS** that monitor and predict **international trends**. Our fan decks and color cards are developed in accordance with the most **advanced conformity and precision standards**. The unique **Vitex Coloring System** with **24 colorants** provides special characteristics in terms of shade durability and accuracy that perfectly match with our fan decks and color cards and ensure repeatability.



Vitex Global Collection

Inspired by modern international color trends in decoration, in strategic partnership with the Color Guild Association.



Acrylan Global Exterior

The 160 most popular exterior paint colors in Greece and internationally. Enhanced with HD (High Durability) pigments specially designed for outdoor use.



Color Card Vitex Global Pocket

With specially selected shades from Vitex Global Collection.



Vitex NCS Collection

In collaboration with the Swedish NCS Institute.

AUTHORIZED
NCS NETWORK
MEMBER



Vitex Colorfull Collection

Inspired by Greece.




Color Card Diaxyl Plus / Lussolac

Shades to protect and beauty wood



TRENDS Magazine

International trends shades of the year by Color Guild Colorists.




Color Card Heavy Metal Silicon and Heavy Metal Silicon Effect

Shades with gloss, satin, metallic and textured finish for metal surfaces.



Color Card Vitex Metallico

Shades for a modern and impressive metallic finish.



Color Card - Emulsion and Cement paints

Basic shades for interior and exterior use.



Global Collection

1.320
UNIQUE
SHADES

The new decoration guide of Vitex in exclusive collaboration with the International Color Guild Organization:

- **INSPIRES** you with trends and ideas for the renewal of your space
- **TRAINS** you for the best color combinations
- **PROTECTS** you with state-of-the-art product proposals
- **ENCOURAGES** you with quick and easy styles

INTERIOR WALLS & CEILINGS

| Emulsion paints | Finish | General use | Application | | |
|------------------------|----------|-------------|---|--------------------|-----------------|
| | | | Hygiene sensitive areas | High traffic areas | Areas with mold |
| Vitex Care Eggshell | Eggshell | ✓ |  | ✓ | ✓ |
| Vitex Care | Mat | ✓ |  | ✓ | ✓ |
| Vitex with VAIRO | Eggshell | ✓ |  | ✓ | ✓ |
| Vitex Classic | Mat | ✓ | | | |
| Vitex Eco | Mat | ✓ |  | | |
| Vitex Metallico | Metallic | ✓ | | | |
| Motivo Miracle Sand | Metallic | ✓ | | | |
| Vito Plus | Mat | ✓ |  | | |
| Vito Eco | Mat | ✓ | | | |
| Vista Emulsion | Mat | ✓ | | | |
| Vitex Kitchen and Bath | Mat | ✓ | | | ✓ |
| Vista Distemper | Mat | ✓ | | | |
| Vi Pol | Mat | ✓ | | | |
| Vi Plus | Mat | ✓ | | | |
| Vi Emulsion | Mat | ✓ | | | |

| | | | | | Preparation | | |
|---|---|---|---|----------|------------------------------|------------------------|--|
| ECO EPD | ECO | Indoor Air Quality | Wet scrub resistance | Coloring | Old / loose surfaces | Stained surfaces | New surfaces |
|  | |  |  | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
|  | |  |  | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
|  | |  |  | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
|  | |  |  | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
|  |  |  |  | ✓ | Acrylan Unco Eco | Blanco Eco | Acrylan Unco Eco |
| | | | | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | ✓ | | | |
| | | | | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| |  | | | ✓ | Acrylan Unco Eco | Blanco Eco | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | ✓ | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | | | | |
| | | | | | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |
| | | | | | Acrylan Unco Eco, Durovit | Blanco Eco, Vitosin | Acrylan Unco Eco, Primer 100% Acrylic |



Vitex Care Eggshell

Best - In - Class overall performance eggshell emulsion wall paint for interior use. Top Care protection for surfaces, people and environment.

- ✓ Superior performance and stain resistance / removal
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Low environmental impact in life cycle

| Shades | Packaging |
|----------------|-----------------|
| White | 750mL, 3L, 10L, |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-18 m²/L



30-60'



Thousands of shades



Vitex Care

Best - In - Class overall performance mat emulsion wall paint for interior use. Top Care protection for surfaces, people and environment.

- ✓ Superior performance and stain resistance / removal
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Low environmental impact in life cycle

| Shades | Packaging |
|----------------|----------------|
| White | 750mL, 3L, 10L |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-18 m²/L



30-60'



Thousands of shades

UNIQUE PAINT WITH 10 WALL, HEALTH AND ENVIRONMENT CERTIFICATIONS



INTERIOR WALLS & CEILINGS – EMULSION PAINTS



Vitex with VAIRO

Antiviral - antibacterial eggshell emulsion wall paint for interior use, based on VAIRO Healthcare technology. Due to its innovative technology, the dry paint film has defense against virus transmission and inhibits the bacteria growth as well on it.

- ✓ Paint tested against corona virus SARS-CoV2 with antiviral activity > 99.9%
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ Easy stain removal

| Shades | Packaging |
|----------------|----------------|
| White | 750mL, 3L, 10L |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-18 m²/L



30-60'



Thousands of shades



Vitex Classic

Premium quality mat emulsion paint.

- ✓ Superior spreading rate and hiding power
- ✓ Maximum resistance to frequent washing
- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Exceptional whiteness
- ✓ Virtually odorless

| Shades | Packaging |
|----------------|----------------------------|
| White | 375mL, 750mL, 3L, 10L, 16L |
| Bases W, M, TR | 1L, 3L, 10L |
| Basics | 180mL, 375mL, 750mL, 3L |



0-10%



15-18 m²/L



30-60'



Thousands of shades



Vitex Eco

Premium Quality Ecological Emulsion Paint. Percentage of the product's sales supports the activities of Make-A-Wish.

- ✓ Ecological
- ✓ Virtually odorless
- ✓ IAC GOLD, A+ Indoor Air Quality
- ✓ High durability to frequent washing
- ✓ Superior opacity

| Shades | Packaging |
|----------------|----------------|
| White | 750mL, 3L, 10L |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-18 m²/L



30-60'



Thousands of shades

BREAKTHROUGH TECHNOLOGY

WITH ANTIVIRAL AND ANTIBACTERIAL
ACTIVITY ON PAINTED SURFACES



Vitex with Vairo

Emulsion wall paint with eggshell finish for interior use, **with >99,9% tested effectiveness against SARS-CoV2**, other Human Coronaviruses, Influenza virus H1N1 and Bacteria that cause nosocomial infections of contact with painted surfaces. Due to its innovative technology, the dry paint film **has defense against virus transmission** and **inhibits the bacteria growth** as well on it.

Use biocides safely. Always read the label and product information before use.

Vitex Metallico

Water-based paint with metallic finish.

- ✓ Impressive metallic finish for exceptional, easily created deco styles
- ✓ Suitable for all surfaces, including wood, plastic and metal
- ✓ In 3 ready-made colors & 30 more shades through Vitex Coloring System



| Shades | Packaging |
|----------------------|-------------|
| Silver, Gold, Bronze | 700mL, 2,1L |
| Base Pandora | 700mL, 2,1L |



0-10%



10-12 m²/L



1-2 h



In 30 selected shades

MOTIVO Miracle Sand

Water-based paint, with an impressive textured finish on every surface.

- ✓ With pearlescent pigments and silica sand
- ✓ It can create a unique effect.
- ✓ It can be applied to walls, pillars, ceilings, plasterboards with low odour during its application.
- ✓ In 100 uniquely deep shades through Vitex Coloring System from 3 bases silver, gold and titanium.



| Shades | Packaging |
|----------------------|-------------|
| Silver, Gold, Bronze | 700mL, 2,1L |



ready to use



10-12 m²/L



1-2 h



In 100 selected shades

Vito Plus

Certified antimicrobial mat emulsion paint with silver ions.

- ✓ Certified antibacterial activity
- ✓ Low odour formula
- ✓ Great hiding power and coverage
- ✓ Ideal for hygiene sensitive areas
- ✓ Ideal for frequent reapplications and professional use



| Shades | Packaging |
|---------------|--------------------|
| White | 750mL, 3L, 9L, 15L |
| Bases W, M,TR | 1L, 3L, 9L |



0-10%



13-16 m²/L



30-60'



Thousands of shades

Vitex Kitchen and Bath

Emulsion paint for fungi protection for interior use.

- ✓ Fungi protection
- ✓ Great spreading rate and hiding power
- ✓ Ideal for areas with high humidity and vapors (kitchens, bathrooms, etc.)



| Shades | Packaging |
|--------------------------|---------------|
| White | 750mL, 3L, 9L |
| Bases W | 1L, 3L |
| Kitchen and Bath Cleaner | 500mL |



0-10%



12-14 m²/L



30-60'



Thousands of shades

Vito Eco Emulsion

The professional's ecological solution in emulsion paints.

- ✓ Ecological
- ✓ Great spreading rate and hiding power
- ✓ Easy application and levelling



| Shades | Packaging |
|------------|--------------------|
| White | 750mL, 3L, 9L, 15L |
| Bases W, M | 1L, 3L, 9L |



0-10%



12-14 m²/L



30-60'



Thousands of shades



Vista Emulsion

Mat emulsion paint for general use.

- ✓ Good spreading rate and hiding power
- ✓ Easy application and spreading
- ✓ Ideal for frequent reapplication
- ✓ Ideal for commercial areas
- ✓ Mat finish

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



0-10%



10-12 m²/L



30-60'



Vista Distemper

Distemper paint.

- ✓ Superior whiteness
- ✓ Ideal for stairwells, warehouses and ceilings
- ✓ Allows surfaces to breathe

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



10-20%



10-12 m²/L



30-60'



INTERIOR WALLS & CEILINGS – EMULSION PAINTS



Vi Pol

Distemper water-based paint for interior use

- ✓ Superior whiteness
- ✓ Good hiding power
- ✓ For ceilings of kitchens, staircases, storehouses

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



10-20%



9-10 m²/L



30-60'



Vi Plus

Water-dispersion decorative paint for interior use

- ✓ Good workability and hiding power
- ✓ For walls, ceilings, plasterboards
- ✓ Allows surfaces to "breathe"

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



0-5%



10-13 m²/L



30-60'



Vi Emulsion

Breathing water-dispersion decorative paint for interior use

- ✓ For walls, ceilings, plasterboards
- ✓ Allows surfaces to breathe

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



0-5%



8-10 m²/L



30-60'



EXTERIOR WALLS & ROOFS

| Final coat | Category | General Use | | |
|----------------------------|-------------------------------------|-------------|----------------------------|---------------------------------------|
| | | | Adverse weather conditions | Covering small cracks & waterproofing |
| Acrylan MAX | NANO-ACRYLIC innovation paint | ✓ | MAX | |
| Acrylan | 100% acrylic paint | ✓ | ✓ | |
| Acrylan Elastic | 100% acrylic paint | ✓ | ✓ | ✓ |
| Acrylan Silicon | 100% acrylic paint | ✓ | ✓ | |
| Acrylan Thermo-Block | 100% acrylic paint | ✓ | ✓ | ✓ |
| Vito Acrylic | Acrylic paint | ✓ | | |
| Vista Acrylic | Acrylic paint | ✓ | | |
| Floorguard Hybrid PU | Hybrid concrete paint (water-based) | ✓ | ✓ | |
| Cement Paint | Concrete paint (water-based) | ✓ | ✓ | |
| Vito Concrete Paint | Concrete paint (water-based) | ✓ | | |
| Cimentol | Concrete paint (solvent-based) | ✓ | ✓ | |
| Relief | Textured coating | ✓ | ✓ | |
| Plasters | | | | |
| Granikot Acrylic | Ready-to-use plaster | ✓ | ✓ | ✓ |
| Granikot Linea | Ready-to-use plaster | ✓ | ✓ | ✓ |
| Granikot Silicone | Ready-to-use plaster | ✓ | ✓ | ✓ |
| Granikot Fire Resistant | Ready-to-use plaster | ✓ | ✓ | ✓ |
| Roof insulation | | | | |
| HyRoof Hybrid PU | Hybrid PU waterproofing coating | ✓ | ✓ | ✓ |
| Vitacryl | Acrylic waterproofing paint | ✓ | ✓ | ✓ |
| Vito Roof Insulation Paint | Acrylic waterproofing paint | ✓ | ✓ | |

| Application | | | Characteristics | | | Preparation | |
|---------------------------|---------------|--------------------|---|---|-----------------------------|------------------------------------|---------------------------|
| High humidity & pollution | Energy saving | Low traffic floors | ECO EPD | Cool paint | Vitex Coloring System | Old surfaces | New surfaces |
| MAX | | |  |  | also available in HD shades | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco |
| | | |  |  | also available in HD shades | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco |
| | | | |  | also available in HD shades | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco |
| ✓ | | | |  | also available in HD shades | Acrylan Unco Eco | Acrylan Unco Eco |
| | ✓ | | |  | also available in HD shades | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco |
| | | | |  | ✓ | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco, Durovit |
| | | | | | | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco, Durovit |
| | | ✓ | | | ✓ | Acrylan Unco, Durovit | |
| | | | | | | Acrylan Unco Eco, Durovit, Vitosin | |
| | | | | | | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco, Durovit |
| | | ✓ | | | | Durovit | |
| | | | | | | Acrylan Unco Eco, Durovit, Vitosin | Acrylan Unco Eco, Durovit |
| | | | | | | | |
| | ✓ | | | | also available in HD shades | Granikot Primer | Granikot Primer |
| | ✓ | | | | in selected HD shades | Granikot Primer | Granikot Primer |
| ✓ | ✓ | | | | also available in HD shades | Granikot Primer | Granikot Primer |
| | ✓ | | | | also available in HD shades | Granikot Primer | Granikot Primer |
| | | | | | | | |
| ✓ | ✓ | | |  | | Hyroof Primer Hybrid PU | Hyroof Primer Hybrid PU |
| | ✓ | | |  | | Durovit | Durovit |
| | ✓ | | |  | | Durovit | Durovit |

EXTERIOR WALLS AND ROOFS - ACRYLIC PAINTS



Acrylan MAX

Ultra durable Nano acrylic paint.

- ✓ MAX strength and adhesion
- ✓ MAX resistance to rain and air pollutants
- ✓ MAX shades stability
- ✓ MAX surface breathing
- ✓ Certified cool paint
- ✓ Specially enhanced HD shades for maximum durability
- ✓ Low environmental impact in life cycle

| Shades | Packaging |
|----------------|----------------|
| White | 750mL, 3L, 10L |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-17 m²/L



30-60'



Thousands of shades



Acrylan

Premium quality acrylic paint

- ✓ Certified cool 100% acrylic paint
- ✓ Excellent performance and coverage
- ✓ Excellent resistance to adverse weather conditions
- ✓ Specially enhanced HD shades for maximum durability
- ✓ Low environmental impact in life cycle

| Shades | Packaging |
|----------------|---------------------|
| White | 750mL, 3L, 10L, 16L |
| Bases W, M, TR | 1L, 3L, 10L |



0-10%



15-17 m²/L



30-60'



Thousands of shades



Acrylan Elastic

Elastomeric insulating acrylic paint

- ✓ Certified cool paint with special 100% acrylic UV-crosslinking elastomeric resins
- ✓ 4-in-1: coating, waterproofing, microcrack filling, breathing
- ✓ Ideal for regions with extreme temperature fluctuations
- ✓ Specially enhanced high durability (HD) shades for optimum resistance to UV radiation

| Shades | Packaging |
|----------------|-----------|
| White | 3L, 10L |
| Bases W, M, TR | 3L, 10L |



0-10%



11-13 m²/L



2-3 h



Thousands of shades

* Shade bases: W=White, M=Medium & TR=Transparent



Acrylan Silicon

Silicone acrylic paint

- ✓ Maximum waterproofing and vapor permeability
- ✓ Ideal for areas with high humidity and air pollution
- ✓ Long lasting result without blisters, cracking, peeling or mold
- ✓ Certified cool 100% acrylic paint
- ✓ Specially enhanced high durability (HD) shades for optimum resistance to UV radiation

| Shades | Packaging |
|------------|-----------|
| White | 3L, 10L |
| Bases W, M | 3L, 10L |

 0-10%

 13-15 m²/L

 30-60'



Acrylan Thermo-Block

Thermoprotective Acrylic Paint

- ✓ Certified cool paint with special 100% acrylic UV-crosslinking resins and heat insulating micro beads
- ✓ High reflectivity for energy saving
- ✓ Excellent performance & durability under extreme weather conditions
- ✓ Specially enhanced high durability (HD) shades for optimum resistance to UV radiation

| Shades | Packaging |
|---------|-----------|
| White | 3L, 10L |
| Bases W | 3L, 10L |

 0-10%

 12-14 m²/L

 2-3 h



Vito Acrylic

The professional's solution in acrylic paints

- ✓ High performance and coverage
- ✓ Very good workability and easy application
- ✓ Certified cool paint

| Shades | Packaging |
|------------|-------------|
| White | 3L, 9L, 15L |
| Bases W, M | 1L, 3L, 9L |

 0-10%

 10-12 m²/L

 30-60'





Vista Acrylic

Acrylic paint for general use

- ✓ High spreading rate and hiding power
- ✓ Ideal for exterior surfaces that require frequent recoating

| Shades | Packaging |
|--------|-------------|
| White | 3L, 9L, 15L |



0-10%



10-12 m²/L



30-60'



Floorguard Hybrid PU

Acrylic PU Water-Based Floor Paint

- ✓ Applied directly to cement / concrete floors
- ✓ For exterior and interior floors subjected to low-traffic use
- ✓ Resistant to wear / chemicals / weather conditions

| Shades | Packaging |
|-------------|-------------------|
| White | 750mL, 3L, 9,750L |
| Bases W, TR | 750mL, 3L, 9,750L |



5-20%



12-14 m²/L



30-60'



Thousands of shades



Cement Paint

High Quality Acrylic Water-Based Paint For Cement Surfaces

- ✓ Premium quality and durability concrete paint
- ✓ Direct application on concrete, plaster, brick and other alkaline surfaces
- ✓ Available in white and 4 ready-made shades

| Shades | Packaging |
|--|----------------|
| White | 750mL, 3L, 10L |
| Red, Terracotta, Cement, Anthracite, Steel | 750mL, 3L, 10L |



8-10%



15-17 m²/L



30-60'





Vito Concrete Paint

Water-based concrete paint for professional use

- ✓ High durability
- ✓ For exterior and interior use
- ✓ Forms a hard, non-cracking finish

| Shades | Packaging |
|------------|---------------|
| Anthracite | 750mL, 3L, 9L |



8-10%



10-12 m²/L



30-60'



Cimentol

Acrylic Paint For Concrete Surfaces, Solvent-based

- ✓ Great durability under adverse weather conditions and atmospheric pollution
- ✓ Strong adhesion and high hardness on walls, concrete floors, tiles, garages, tennis courts, etc

| Shades | Packaging |
|---|-------------|
| White | 750mL, 2,5L |
| Yellow, Ochre, Grain, Red terracota, Green Tennis, Blue, Coal, Carbon | 750mL, 2,5L |



5%
T300/T350



10-12 m²/L



20-40'



Relief

Acrylic textured coating

- ✓ High durability
- ✓ For exterior and interior use
- ✓ Forms a hard, non-cracking finish

| Shades | Packaging |
|---|-----------|
| White Other shades may be produced using VITEX's basic colours | 5kg, 15kg |



no dilution
5-10% for thinner
result



1-1,5 m²/kg



30-60'





Granikot Acrylic

Acrylic Plaster

- ✓ Exceptional resistance properties against weather and UV radiation
- ✓ Excellent adhesion, firmness and elasticity

| Shades | Packaging |
|--------------------------------|------------|
| White & Base W Flat finish | 5 kg, 25kg |
| White & Base W Grafiato finish | 25 kg |
| Base TR Grafiato & Flat finish | 25 kg |



0-2%



1,4-3,2 Kg/m²



4-6 h



Thousands of shades



Granikot Linea

Acrylic Plaster

- ✓ Great adhesiveness, firmness and elasticity
- ✓ Weather-resistant
- ✓ Very good quality acrylic plaster

| Shades | Packaging |
|----------------------------|------------|
| White & Base W Flat finish | 5 kg, 25kg |



0-2%



1,7-2,5 Kg/m²



4-6 h



Selected HD shades

*Shades are excluded:
0081, 0508, 0704, 0143, 0514,
1019, 0381, 0535, 1061, 0424,
0556, 1095



Granikot Silicone

Silicon Plaster

- ✓ Hydrophobic, water-repellent and weather-resistant
- ✓ Great water vapour permeability
- ✓ Excellent resistance to ultraviolet (UV) radiation and heat

| Shades | Packaging |
|--------------------------------|------------|
| White & Base W Flat finish | 5 kg, 25kg |
| White & Base W Grafiato finish | 25 kg |
| Base TR Grafiato & Flat finish | 25 kg |



0-2%



1,4-3,2 Kg/m²



4-6 h



Thousands of shades



Granikot Fire Resistant

Non-Combustible Plaster

- ✓ Certified class A2-s1, d0 to reaction to fire
- ✓ Exceptional resistance properties against weather and UV radiation
- ✓ Excellent adhesion, firmness and elasticity

| Shades | Packaging |
|-------------------------------------|-----------|
| White, Base W & Base TR Flat finish | 25kg |



0-2%



1,7-3,2 Kg/m²



4-6 h



Thousands of shades



Granikot Primer

Acrylic Textured Primer

- ✓ Ideal for interior and exterior smooth or rough surfaces
- ✓ Improves the hiding power and adhesion of Granikot plasters

| Shades | Packaging |
|--------------|-----------|
| White / Base | 3 L, 10 L |



0-3%



10-12 m²/L



45'



Thousands of shades



WIDE RANGE OF GRANULOMETRY AND SPECIAL HD SHADES OF HIGH DURABILITY



HyRoof Hybrid PU

Hybrid elastomeric waterproofing roof coating, certified for over 10 years of protection

- ✓ Provides excellent protection, allowing moisture to escape
- ✓ 93% reflectivity for reduced cooling costs
- ✓ 300% elasticity for seamless covering of cracks and defects
- ✓ Easy and odorless application to all substrates
- ✓ Certified cool paint

| Shades | Packaging |
|--------|---------------------|
| White | 750mL, 3L, 10L, 16L |



1 m²/L



2-3 h



HyRoof Hybrid PU Primer

Hybrid water-based polyurethane primer

- ✓ Penetrates, waterproofs and stabilizes surfaces
- ✓ Strong adhesion to concrete, asphalt membranes, cement tiles, acrylic paints, etc.
- ✓ Ideal for priming before the application of HyRoof Hybrid PU

| Shades | Packaging |
|------------------|-----------|
| Semi transparent | 5L, 15L |



10-12 m²/L



45'



HyRoof Reinforced Polyester Tape

Polyester tape 50 gr/m² for reinforcement in corners, parapets, joints, cracks and gutters.

| Roll |
|---------------|
| 10 cm x 100 m |
| 30 cm x 100 m |



HyRoof Reinforced Polyester Mesh

Reinforced polyester mesh 50 gr/m². Easy immersion and compatibility to substrates. It improves HyRoof insulation system performance.

| Roll |
|-------------|
| 1 m x 100 m |



Vitacryl Roof Insulation Paint

Elastomeric Roof Coating

- ✓ Great adhesion to all substrates
- ✓ High elasticity
- ✓ Contributes to energy saving
- ✓ Certified cool paint

| Shades | Packaging |
|----------------------|----------------|
| White & Brownish red | 750mL, 3L, 10L |



0-10%



3 m²/L



2-3 h



Vito Roof Insulation Paint

Acrylic based roof insulation paint

- ✓ Economical and reliable solution for waterproofing
- ✓ Good adhesion to all substrates
- ✓ Contributes to energy saving
- ✓ Certified cool paint

| Shades | Packaging |
|--------|-----------|
| White | 3L, 9L |



0-10%



2-3 m²/L





2-3 h




INTEGRATED HYBRID ROOF INSULATION SYSTEM WITH OVER 10 YEARS OF PROTECTION

1. Preparation

| Direct-3 in1 | | Elastomeric Putty | | HyRoof Hybrid PU Primer | |
|---|-------------|---|--------------------|---|-----------|
| 3-in-1 quick dry tough enamel paint | | Elastomeric acrylic putty | | Hybrid water-based polyurethane primer | |
| <ul style="list-style-type: none"> ✓ Can be applied directly over rust ✓ Gloss finish ✓ Strong adhesion and long-term protection | | <ul style="list-style-type: none"> ✓ Ideal for cracks up to 1 cm ✓ Minimal shrinking ✓ High resistance to adverse weather conditions | | <ul style="list-style-type: none"> ✓ Penetrates, waterproofs and stabilizes surfaces ✓ Strong adhesion to concrete, asphalt membranes, cement tiles, acrylic paints, etc. ✓ Ideal for priming before the application of HyRoof Hybrid PU | |
|  | |  | |  | |
| Shades | Packaging | Shades | Packaging | Shades | Packaging |
| 12 Shades | 750mL, 2,5L | Grey | 400gr, 800 gr, 4kg | Semi transparent | 5 L, 15 L |

| 2. Reinforcement | | 3. Top coat | |
|--|----------------------------|--|-----------|
| HyRoof Polyester Reinforcing Tape | | HyRoof Reinforced Polyester Mesh | |
| <ul style="list-style-type: none"> ✓ For reinforcement in corners, parapets, joints, cracks and gutters | | <ul style="list-style-type: none"> ✓ Perfect application and impregnation | |
|  | |  | |
| Packaging | | Packaging | |
| Rolls | 10cm x 100m 30cm x 100m | Rolls | 1m x 100m |

| HyRoof Hybrid PU | |
|--|---------------------|
| Hybrid Elastomeric Roof Insulation Paint | |
| <ul style="list-style-type: none"> ✓ 93% reflectivity for reduced cooling costs - Cool paint ✓ Provides perfect waterproofing, allowing trapped moisture to escape ✓ Easy and odorless application to all substrates ✓ 300% elasticity for seamless covering of cracks and defects | |
|  | |
| Shades | Packaging |
| White | 750mL, 3L, 10L, 16L |

METAL & WOODEN SURFACES

| Enamels | Category | Finish | Exterior and interior use | |
|-----------------------------|---|--------------------------|---------------------------|-------|
| | | | Wood | Metal |
| Verolac | Tough enamel | Gloss | ✓ | ✓ |
| Heavy Metal Silicon | Tough enamel with silicone | Gloss / Satin / Metalize | ✓ | ✓ |
| Heavy Metal Silicon Effect | Tough enamel with silicone | Textured | ✓ | ✓ |
| Heavy Metal Silicon Varnish | Extra Tough Silicone Varnish | Gloss / Satin / Mat | | ✓ |
| Direct-3 in 1 | Tough enamel for direct application on rust | Gloss | | ✓ |
| Martelite | Hammer-effect enamel paint | Hammer-effect | | ✓ |
| Syntol Super | Tough enamel paint for vehicles and machinery | Gloss | | ✓ |
| Vi Enamel | Tough enamel | Gloss | | ✓ |
| Radiator | Enamel paint for radiators <100°C | Gloss | | ✓ |
| Chassis Coat | Enamel for vehicle chassis | Satin | | ✓ |
| Wood enamels | | | | |
| Aquavit Eco | Wood enamel (water-based) | Gloss / Satin / Mat | ✓ | ✓ |
| Platinum | Wood enamel (solvent-based) | Gloss / Satin / Mat | ✓ | ✓ |

| | Characteristics | | | | | Preparation | | |
|---|---|---|---|---|---------------------------------------|-----------------|---------------------------------------|--|
| Microbiologically Tested | Indoor Air Quality | ECO | ECO EPD | High durability with silicone | Shades | Wooden surfaces | Metal surfaces | Glossy surfaces |
| | | | | | 44 | Velatura | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | |  | Can be colored in thousands of shades | Velatura | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | |  | Can be colored in 20 shades | Velatura | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | |  | Colorless | | | |
| | | | | | 12 | | | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | | | 13 | | Wash Primer | Wash Primer |
| | | | | | 38 | | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | | | 18 | Velatura | Vi Anti-Rust Primer | |
| | | | | | White | | | |
| | | | | | 4 | | | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |
| | | | | | | | | |
|  |   |  |  | | Can be colored in thousands of shades | Velatura Eco | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Velatura Eco |
| | | | | | Can be colored in thousands of shades | Velatura | Anti-Rust Primer, Metal Primer, Minio | Primer for Glossy Surfaces, Wash Primer, Grip 360 Primer |



Verolac

Gloss Alkyd Enamel

- ✓ Perfect anticorrosive finish for all exterior and interior metal surfaces
- ✓ Great hardness and hiding power
- ✓ Gloss finish and color shades that remain unchanged over time

| Shades | Packaging |
|------------------------------------|--------------------------------|
| White, Black, 42 ready-made shades | 180mL, 375mL, 750mL, 2,5 L, 5L |
| Black mat | 180mL, 375mL, 750mL, 2,5L |


5%
T300/T350


14-16 m²/L


2-3 h



Heavy Metal Silicon

Extra Tough Silicone Alkyd Enamel

- ✓ Unique silicone formulation for excellent durability on exterior and interior metal surfaces
- ✓ Gloss and shade that withstand time, adverse weather conditions and UV radiation
- ✓ Superior hardness with no hardener required
- ✓ Can be colored in thousands of shades

| Shades | Packaging |
|--|---------------------|
| Gloss/ Satin White, Black, Cypress Green | 750mL, 2,5L |
| Metalize Gold, Silver, Bronze | 180mL, 375mL, 750mL |
| Bases W & TR Gloss & Satin | 750mL 2,250L |


5%
T300/T350


14-16 m²/L


2-3 h





Heavy Metal Silicon Effect

Silicone Alkyd Enamel With Textured Finish

- ✓ Unique silicone formulation for excellent durability on exterior and interior metal surfaces
- ✓ Gloss and shade that withstand time, adverse weather conditions and UV radiation
- ✓ For special decorative finish
- ✓ Superior hardness with no hardener required

| Shades | Packaging |
|---------------|--------------|
| Graphite | 750mL, 2,5L |
| Base Graphite | 750mL 2,250L |



5-15%
T300/T350



7-9 m²/L



2-3 h



20 selected
shades through
Vitex Coloring System



Heavy Metal Silicon Varnish

Extra Tough Silicone Varnish

- ✓ Unique silicone formulation for excellent durability on exterior and interior metallic surfaces
- ✓ High hardness and gloss unchanged over time and in weather conditions
- ✓ Possibility of mat finish on decorative metal surfaces
- ✓ Maintains the image of the rusty effect

| Shades | Packaging |
|-----------------------------|-------------|
| Colorless (Mat,Satin,Gloss) | 750mL, 2,5L |



5% T300/350



14-16 m²/L



3-4 h






Direct-3 in 1


Gloss Alkyd Enamel For Metal Surfaces Directly On Rust

- ✓ Direct application on rust without primer
- ✓ Great durability
- ✓ Excellent finish


| Shades | Packaging |
|----------------------|-------------|
| 12 ready-made shades | 750mL, 2,5L |



0-15% T350



4-8 m²/L



30-60'



Martelite

Paint For Metal Surfaces with Hammer-Effect Finish

- ✓ Protection and decoration of metal surfaces
- ✓ Great durability

| Shades | Packaging |
|----------------------|-------------|
| 13 ready-made shades | 750mL, 2,5L |



5% T350



8-10 m²/L



30-60'



Syntol Super

Extra Tough Enamel For Vehicle Bodywork And Machinery

- ✓ High durability and hiding power
- ✓ Ideal for coating vehicles, machinery and metal constructions
- ✓ Color shades withstand adverse weather conditions and washing

| Shades | Packaging |
|----------------------|-------------|
| 38 ready-made shades | 750mL, 2,5L |



5% T300/350



14-16 m²/L



2-3 h





METAL SURFACES – ENAMEL PAINTS



Vi Enamel

Durable, high-gloss enamel

- ✓ Suitable for interior and exterior use on metal surfaces
- ✓ High hardness and hiding power

| Shades | Packaging |
|------------------------------------|-----------|
| White, Black, 16 ready-made shades | 650mL |
| White, Black | 2,5L |

5%
T300/T350

12-14 m²/L

2-4 h



Radiator

Enamel suitable for heated metal surfaces

- ✓ Ideal for radiators and boiler covers
- ✓ No primer needed
- ✓ Excellent durability up to 100 °C
- ✓ No yellowing or peeling

| Shades | Packaging |
|--------|-------------|
| White | 750mL, 2,5L |

5%
T300/T350

14-16 m²/L

2-3 h



Chassis Coat

Anticorrosive Solvent-Based Paint For Chassis / Frames

- ✓ Ideal for vehicle chassis/frames and new metal surfaces
- ✓ Fast drying with excellent resistance to fuels and washing
- ✓ Can also be used as anticorrosive undercoat

| Shades | Packaging |
|---------------------------|-------------|
| Black, Grey, White, Brown | 750mL, 2,5L |

5%
T300/T350

12-14 m²/L

1-2 h



Hardener

Air Dry Hardener

- ✓ Maximizes enamel hardness and durability
- ✓ Reduces drying time

| Packaging |
|--------------|
| 375mL, 750mL |





Aquavit Eco

Ecological PU acrylic water based enamel paint for interior and exterior use

- ✓ Enriched with UV filters for enhanced durability in exterior use
- ✓ With polyurethane for optimal hardness and elasticity ratio
- ✓ Class A+ in Indoor Air Quality
- ✓ Low environmental impact in life cycle

| Shades | Packaging |
|---------------------------------|--------------|
| White Gloss, Satin & Mat | 750mL, 2,5L |
| Bases W & TR Gloss, Satin & Mat | 750mL 2,250L |



5-15%



12-15 m²/L



1-2 h



Thousands of shades



Platinum PU

High Quality PU Enamel Paint

- ✓ Premium quality wood enamel for exterior and interior use
- ✓ With polyurethane for optimized hardness to elasticity ratio
- ✓ Ideal for wooden surfaces such as doors, windows, cupboards, etc.
- ✓ High resistance to yellowing and washing

| Shades | Packaging |
|---------------------------------|---------------|
| White Gloss, Satin & Mat | 750mL, 2,5L |
| Bases W & TR Gloss, Satin & Mat | 750mL, 2,250L |



2%
T300/T350



16-18 m²/L



3-4 h



Thousands of shades



* Shade bases: W=White, M=Medium & TR=Transparent

WOOD & STONE PROTECTION

| Wood protection products | Category | Finish | Use | |
|---------------------------|-------------------------------|---------------------|----------|----------|
| | | | Interior | Exterior |
| Diaxyl Plus | Penetration varnish | Natural | ✓ | ✓ |
| Lussolac | Varnish | Gloss / Satin / Mat | ✓ | ✓ |
| Diaxyl Extra | Preservative against insects | Natural | | ✓ |
| Teak Oil | Penetration oil for hard wood | Natural | ✓ | ✓ |
| Decking Oil | Penetration oil for decks | Natural | | ✓ |
| Marelac | Yacht varnish | High gloss | | ✓ |
| Wooden Floor Varnish | Floor varnish | Gloss / Satin | ✓ | |
| Stone protection products | | | | |
| Delac | Stone varnish | Natural | ✓ | ✓ |

| Characteristics | | | | | Before application | After application |
|-----------------|---------------|---|---|--|---------------------|--------------------------------|
| Water based | Solvent based |  |  | Shades | New surfaces | |
| ✓ | ✓ | ✓ | ✓ | Colorless, 11 ready-made shades and 30 selected shades through Vitex Coloring System | Diaxyl Extra | |
| ✓ | ✓ | ✓ | ✓ | Colorless, 11 ready-made shades and 30 selected shades through Vitex Coloring System | Diaxyl Extra | |
| ✓ | ✓ | | | Colorless | | Diaxyl Plus, Lussolac, Marelac |
| | ✓ | | | Colorless | | |
| | ✓ | ✓ | ✓ | Colorless | | |
| ✓ | ✓ | ✓ | ✓ | Colorless | Diaxyl Extra | |
| ✓ | | ✓ | | Colorless | Wooden Floor Primer | |
| | | | | | | |
| | ✓ | | | Colorless | | |

DISCOVER **THE NEW** **SHADES FOR WOOD**

WATER BASED IN
DIAXYL PLUS /
LUSSOLAC
COLOR CARD



SCAN HERE :





Diaxyl Plus

Polyurethane penetration varnish water and solvent-based

- ✓ Protective and decorative varnish for exterior and interior wooden surfaces
- ✓ With polyurethane and UV filters for excellent durability and resistance to adverse weather conditions and UV radiation
- ✓ Allows wood to "breathe"

| Shades | Packaging |
|---|---------------|
| Colorless and 11 ready-made shades (solvent based) | 750mL, 2,5L |
| 30 shades (water based) through Vitex Coloring System | 750mL, 2,250L |



Ready to use



12-16 m²/L



2-3 h



Diaxyl Extra

Wood Preservative for exterior surfaces

- ✓ Effective protection against insects and fungi
- ✓ High penetration depth

| Shades | Packaging |
|-----------|-------------|
| Colorless | 750mL, 2,5L |



Ready to use



10 m²/L



1-2 h





Lussolac Solvent-based

Solvent-based PU Wood Varnish

- ✓ Great elasticity and hardness for exterior and interior use
- ✓ Enriched with polyurethane and UV filters for optimum durability and resistance to weathering and sunlight

| Shades | Packaging |
|------------------------------|---------------------|
| Colorless Gloss, Satin & Mat | 180mL , 750mL, 2,5L |
| 11 ready-made shades, Gloss | 180mL , 750mL |


3%
T300/T350


12-16 m²/L


3-4 h



Lussolac Water-based

Water-based PU Wood Varnish

- ✓ Great elasticity and hardness for exterior and interior use
- ✓ Enriched with polyurethane and UV filters for optimum durability and resistance to weathering and sunlight
- ✓ With certified suitability for children's toys

| Shades | Packaging |
|---|---------------|
| Colorless Gloss, Satin & Mat | 750mL, 2,5L |
| 30 shades (Gloss) through Vitex Coloring System | 750mL, 2,250L |


0-10%


12-14 m²/L


1-2 h



Teak Oil

Wood Penetration Oil

- ✓ Penetration oil from mixture of modified natural oils enriched with wax
- ✓ Refreshes, preserves and protects the wood from intense sunlight and moisture


| Shades | Packaging |
|-----------|-----------|
| Colorless | 750mL |


No dilution


12-16 m²/L


2-3 h





Decking Oil

Penetrating Oil For Exterior Wooden Decks

- ✓ For waterproofing and protection of wooden decks
- ✓ High resistance to chemicals and adverse weather conditions

| Shades | Packaging |
|-----------|-----------|
| Colorless | 2,5L, 5L |



No dilution



12-16 m²/L



2-3 h





Marelac Solvent-based

Ultra Durable PU Wood Varnish Solvent-based

- ✓ Ideal for boats, yachts, ships, as well as doors, window frames and wooden furniture with seaside exposure
- ✓ High gloss protective film for maximum protection against weathering and sun with UV filters and HALS light stabilizers

| Shades | Packaging |
|-----------------|-------------|
| Colorless Gloss | 750mL, 2,5L |

5%
T300/T350

14-16 m²/L

3-4 h



Marelac Water-based

Water-based Ultra Durable PU Wood Varnish

- ✓ High gloss protective film for maximum protection against weathering and sun with UV filters and HALS light stabilizers
- ✓ Water repellent ideal for wooden surfaces exposed to adverse weather conditions

| Shades | Packaging |
|-----------------|-------------|
| Colorless Gloss | 750mL, 2,5L |

0-10%

10-12 m²/L

1-2 h



Delac

Stone varnish

- ✓ Stone penetration varnish for exterior and interior use
- ✓ Enhances the natural surface coloring and protects from humidity and stain absorption

| Shades | Packaging |
|-----------|-------------|
| Colorless | 750mL, 2,5L |

No dilution

10-12 m²/L

1-2 h





Wooden Floor Varnish

Polyurethane varnish for wooden floors

- ✓ Polyurethane varnish for high hardness and great resistance to abrasion, engraving and cleaning products
- ✓ Easy application on interior parquet, wooden floors and stairs from old and new wood

| Shades | Packaging |
|--------------------------|-----------|
| Colorless, Gloss & Satin | 1L, 2,5L |



5%



10-12 m²/L



1-2 h



Wooden Floor Primer

Water based one component transparent primer for wooden floors

- ✓ One component transparent primer for preparation and filling of wooden surfaces before the application of the top coat
- ✓ Easy application on interior parquet, wooden floors and stairs from old and new wood

| Shades | Packaging |
|-----------|-----------|
| Colorless | 1L, 2,5L |



5%



8-10 m²/L



1-2 h



SURFACE PREPARATION

| Walls and ceilings | Category | Use | | | |
|-------------------------------|---|----------|----------|------------------|-----------------------------------|
| | | Exterior | Interior | Porous surfaces | Plaster, Concrete, Brick |
| Acrylan Unco Eco | Ecological micronized silicone acrylic water primer | ✓ | ✓ | ✓ | ✓ |
| Durovit | Waterproofing acrylic solvent primer | ✓ | ✓ | ✓ | ✓ |
| Primer - 100% Acrylic | 100% acrylic water primer | | ✓ | | ✓ |
| Gypsum Board Primer | White filling water-based plasterboard primer | | ✓ | | |
| Grip 360 Primer | Water-based Multi-bond Primer | ✓ | ✓ | ✓ | |
| PreColor | Acrylic water primer colored | ✓ | ✓ | | ✓ |
| Blanco Eco | Ecological white acrylic primer water insulating stain block primer | ✓ | ✓ | | ✓ |
| Vitosin | White solvent insulating primer | ✓ | ✓ | ✓ | ✓ |
| Wooden and other surfaces | Category | Exterior | Interior | Before top coat | Protection of new wooden surfaces |
| Velatura Eco | Ecological water based primer | ✓ | ✓ | ✓ | |
| Velatura | Solvent based primer | ✓ | ✓ | ✓ | |
| Diaxy extra (page45) | Wood preservative against fungi and insects | ✓ | | | ✓ |
| Wooden Floor Primer (page 49) | Primer for wooden floors | | ✓ | | |
| Metal and other surfaces | Category | Exterior | Interior | Cold galvanizing | Anticorrosive protection |
| Metal Primer | Solvent based primer for metal surfaces | ✓ | ✓ | | ✓ |
| Anti-rust Primer | Anticorrosive primer for metal surfaces | ✓ | | | ✓ |
| Vi Anti-Rust Primer | Anticorrosive primer | ✓ | | | ✓ |
| Minio | Antioxidant primer against rust - without lead | ✓ | | | ✓ |
| Galvanize | Cold galvanizing primer for metal surfaces | ✓ | | ✓ | ✓ |
| Glossy Surfaces Primer | Solvent primer for glossy surfaces | ✓ | | | |
| Wash Primer | 2-component anti-rust primer | ✓ | | | ✓ |

| | | | | Characteristics | | | | |
|---------------------------------|---------------|--|------|---|--|----------------------------------|---------------------|----------------|
| Plasterboard | Cement board | Stained surfaces | Wood | ECO | Indoor air quality | Color | Recoat time (hours) | Dilution |
| ✓ | ✓ | | |  |   | Semi-transparent | 0-1 | Water 0-100% |
| ✓ | ✓ | | | | | Transparent | 4-6 | T300 30-100% |
| ✓ | ✓ | | | | | Transparent | 4-6 | Water 300-400% |
| ✓ | | | | | | White | 6-8 | Water 5-15% |
| ✓ | ✓ | ✓ | ✓ | |   | Colored according to final shade | 6-8 | Water 5-15% |
| ✓ | ✓ | | | | | Colored according to final shade | 3-4 | |
| ✓ | ✓ | ✓ | ✓ |  | | White | 2-3 | Water 5-15% |
| | | ✓ | ✓ | | | White | 4-6 | T300/T350 5% |
| Protection from insects & fungi | Wooden Floors | Aluminum / Galvanized steel /PVC / Glass | Wall | ECO | | Color | Recoat time (hours) | Dilution |
| | | ✓ | |  |   | White | 6-8 | Water 5-15% |
| | | | ✓ | | | White | 16-18 | T300/T350 3% |
| ✓ | | | | | | Colorless | 24 | |
| | ✓ | | | | | Colorless | 4-6 | Water 5% |
| Aluminum Copper | Wood | Glass | PVC | ECO | | Color | Recoat time (hours) | Dilution |
| | ✓ | | | | | White, grey | 20-24 | T300/T350 5% |
| | | | | | | Brown, grey | 20-24 | T300/T350 5% |
| | | | | | | Dark Red, Grey | 20-24 | T300/T350 5% |
| | | | | | | Orange | 20-24 | T300/T350 5% |
| | | | | | | Grey | 9-12 | T350 5% |
| ✓ | | ✓ | ✓ | | | Grey | 16-18 | T350 0-3% |
| ✓ | | ✓ | ✓ | | | Yellow | 6-8, <2d | |

SURFACE PREPARATION - WALLS & CEILINGS



Acrylan Unco Eco

Ecological Silicone Acrylic Water-based Primer

- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Maximum penetration into weak and porous surfaces
- ✓ Ideal for all exterior and interior surfaces
- ✓ Certified ecological and slightly colored

Shades
Semi transparent

Packaging
1L, 5L, 15L



0-100%
depending on
substrate's
absorbency



14-18 m²/L



45'



Durovit

Waterproofing Acrylic Primer Solvent-Based

- ✓ For waterproofing and stabilization of all surfaces before the application of top coats
- ✓ Great resistance to moisture, allows surfaces to breathe

Shades
Transparent

Packaging
1L, 5L, 15L



30-100% T300



14-16 m²/L



60'



Primer - 100% Acrylic

Waterproofing Acrylic Primer Water-Based

- ✓ Great adhesion on surfaces
- ✓ High spreading rate and user friendly application
- ✓ Dilution 3-4 parts water - 1 part primer

Shades
Semi transparent

Packaging
750mL, 3L, 10L



300-400%



18-20 m²/L



15-30'



Gypsum Board Primer

High Quality White Gypsum-Board Primer

- ✓ Exceptional filling properties, fully equalizes absorbency differences between construction materials
- ✓ Perfect one-coat finish for interior use only

Shades
White

Packaging
3L, 10L



5-15%



12-14 m²/L



30-60'





Grip 360 Primer

Water-based Multi-bond Primer

- ✓ Great adhesion and anchorage on difficult absorbent and non-absorbent surfaces
- ✓ Isolates and covers surfaces with old stains
- ✓ Can be colored improving the coverage of the final top coat
- ✓ For interior and exterior use

Shades

White and thousands of shades through Vitex Coloring System

Packaging

750mL, 2,5L



5-15%



12-15 m²/L



30-60'



Thousands of shades



PreColor

White Acrylic Water-based Primer that can be colored

- ✓ Enhances hiding power, reducing the number of top coat layers
- ✓ Improves the appearance, adhesion and durability of the top coat
- ✓ Can be colored for all top coats
- ✓ For exterior and interior use

Shades

For final shades on transparent base, coloring is possible in 3 specific shades (yellow, red and grey) depending on the final shade. For final shades on white and medium base, coloring is possible according to the top coat.

Packaging

750mL, 3L, 10L



0-10%



10-12 m²/L



30-60'



Thousands of shades



Blanco Eco

White Ecological Acrylic Water-Based Primer

- ✓ High hiding power for stains (smoke, nicotine, yellowing, etc.) on exterior and interior surfaces
- ✓ Excellent as intermediate coat from dark to lighter shades
- ✓ For use before application of water-based paints

Shades

White

Packaging

750mL, 3L, 10L



5-15%



11-13 m²/L



30-60'



Vitosin

Insulating solvent-based primer

- ✓ Perfect insulation for exterior and interior surfaces
- ✓ Ideal for coverage of surfaces stained with smoke, nicotine, mold, smog and other pollutants
- ✓ Exceptional resistance to water vapour and mold

Shades

White

Packaging

750mL, 2,5L, 10L



30-100% T300



8-10 m²/L



60'



SURFACE PREPARATION - WOODEN SURFACES



Velatura Eco

Ecological Primer For Water-Based Enamel Paints

- ✓ IAC GOLD & A+ Indoor Air Quality
- ✓ Excellent adhesion to wood, glass, hard PVC, aluminum and metal surfaces
- ✓ For interior and exterior use
- ✓ Covers and fills providing a perfect final finish

| Shades | Packaging |
|--------|-------------|
| White | 750mL, 2,5L |



5-15%



11-14 m²/L



30-60'



Velatura

Alkyd-Based Primer For Enamel Paints

- ✓ Ideal for exterior and interior wooden surfaces
- ✓ Excellent hiding power and levelling properties
- ✓ Excellent brushability
- ✓ Recoatable with water or solvent based enamel paints

| Shades | Packaging |
|--------|------------------------|
| White | 375mL, 750mL, 2,5L, 5L |



3% T300/T350



16-18 m²/L



2-3 h





Metal Primer

Primer for metal surfaces

- ✓ High spreading rate and hiding power
- ✓ Excellent levelling properties and easy sanding

| Shades | Packaging |
|-------------|-----------------------------|
| White, Grey | 375mL, 750mL, 2,5L, 5L, 10L |

5%
T300/T350

16-18 m²/L

45-60'



Anti-Rust Primer

Anticorrosive Primer for Metal Surfaces

- ✓ High anticorrosive protection
- ✓ Quick drying with great hiding power and elasticity

| Shades | Packaging |
|-------------|------------------------|
| Brown, Grey | 375mL, 750mL, 2,5L, 5L |

5%
T300/T350

12-14 m²/L

45-60'



Vi Anti-Rust Primer

Anticorrosive primer

- ✓ Good anticorrosive protection
- ✓ Good hiding power and elasticity

| Shades | Packaging |
|----------------|-------------|
| Dark Red, Grey | 650mL, 2,5L |

5%
T300/T350

12-14 m²/L

30-60'





Minio

Lead-Free Anticorrosive Primer

- ✓ Full protection against oxidation
- ✓ Lead free

| Shades | Packaging |
|--------|--------------------|
| Orange | 375mL, 750mL, 2,5L |



5%
T300/T350



12-14 m²/L



45-60'



Galvanize

Cold galvanizing primer

- ✓ Suitable for metal constructions in industrial environments and seaside areas
- ✓ High long-lasting anticorrosive protection

| Shades | Packaging |
|--------|--------------|
| Grey | 375mL, 750mL |



5%
T350



7-9 m²/L



45-60'



Glossy Surfaces Primer

Primer for glossy surfaces

- ✓ Excellent adhesion on aluminum, galvanized surfaces, stainless steel, copper, etc.
- ✓ Great adhesion and levelling properties

| Shades | Packaging |
|--------|-------------|
| Grey | 750mL, 2,5L |



0-3%
T350



12-14 m²/L



45-60'





Wash Primer

2 component anticorrosive undercoat

- ✓ Ideal for aluminum, galvanized steel, polyester, glass and stainless steel surfaces
- ✓ Great adhesion to glossy surfaces

| Shades | Packaging |
|--------|-----------|
| Yellow | 820mL |



No dilution



10-12 m²/L



45-60'



CONSTRUCTION APPLICATIONS

| Putties | Ready to use | Category | Use | |
|---------------------------------------|--------------|--|----------|----------|
| | | | Interior | Exterior |
| Visto Ready Fine | ✓ | Puttying of smooth surfaces | ✓ | |
| Visto Ready Smooth | ✓ | Puttying of highly smooth surfaces | ✓ | |
| Visto | | Puttying / gap-filling | ✓ | ✓ |
| Acrylic Putty | ✓ | Gap-filling | ✓ | ✓ |
| Elastomeric Putty | ✓ | Gap-filling for cracks up to 1cm | ✓ | ✓ |
| Light Acrylic Putty | ✓ | Filling of small and larger holes & cracks | ✓ | |
| Silacryl Acrylic putty (cartridge) | ✓ | Filling of cracks and fissures | ✓ | ✓ |
| Silicones and foams | | | | |
| Silomer 100 - Silicone | ✓ | Antimould sealing/ waterproofing | ✓ | ✓ |
| Construction applications | | | | |
| Superbond Primer | ✓ | Strong adhesion to smooth and non-absorbing surfaces | ✓ | ✓ |

| Construction surfaces | | | | | Application | | |
|--|-------|------|-------|----------|--|---|------------------------|
| Plaster Concrete Plasterboard Cement board | Brick | Wood | Metal | Aluminum | Priming | Top coat | Recoat time (hours) |
| ✓ | | | | | Acrylan Unco Eco, Durovit | Emulsion paints, Wood enamels | 3-4 |
| ✓ | | | | | Acrylan Unco Eco, Durovit | Emulsion paints, Wood enamels | 3-4 |
| ✓ | | | | | Acrylan Unco Eco, 100% Acrylic Primer, Durovit | Emulsion paints, Acrylic paints, Wood enamels | 7-8 |
| ✓ | ✓ | ✓ | | | | Emulsion paints, Acrylic paints, Wood enamels | 3-4 |
| ✓ | ✓ | ✓ | | | Acrylan Unco Eco, Durovit | Emulsion paints, Acrylic paints, Wood enamels | 24-48 |
| ✓ | ✓ | | | | | Emulsion paints, Wood enamels | 1-2 |
| ✓ | ✓ | ✓ | ✓ | ✓ | | Emulsion paints, Acrylic paints, Wood enamels | 24 |
| | | | | | | | |
| | ✓ | ✓ | ✓ | ✓ | | | |
| | | | | | | | |
| ✓ | ✓ | ✓ | ✓ | | | | 6-8 |



Visto Ready Fine

Ready-to-use Finishing Putty

- ✓ For interior surfaces made of plaster, plasterboard or concrete

| Shades | Packaging |
|--------|-----------|
| White | 5kg, 18kg |



1 m²/kg



2-3 h



Visto Ready Smooth

Ready-to-use putty for very smooth finish

- ✓ For interior surfaces made of plaster, plasterboard or concrete for intense lighting or patterns

| Shades | Packaging |
|--------|-----------|
| White | 5kg, 18kg |



1 m²/kg



2-3 h



Visto

Acrylic spatula putty

- ✓ Ideal for stuccoing and troweling exteriors and interior surfaces

| Shades | Packaging |
|--------|-----------|
| White | 5kg, 20kg |



30-35

1 m²/kg



4-5 h





Acrylic Putty

Acrylic Repair Putty

- ✓ For exterior and interior surfaces of plaster, concrete and wood
- ✓ Excellent resistance to moisture and alkalinity

| Shades | Packaging |
|--------|-----------------|
| White | 400g, 800g, 5kg |



2-3m²/kg



30'



Elastomeric Putty

Elastomeric putty

- ✓ For cracks up to 1 cm in exterior and interior surfaces of concrete, brick, plaster, cement, wood, plasterboard
- ✓ Does not crack

| Shades | Packaging |
|--------|-----------------|
| Grey | 400g, 800g, 4kg |



1,5-2,5 m²/kg



3-6 h



Light Acrylic Putty

Light acrylic putty

- ✓ For large cracks and holes on interior walls, plasterboards and roofs
- ✓ Does not shrink and dries fast

| Shades | Packaging |
|--------|-----------|
| White | 750mL |



5-15'





EN 15651-1



7'

Silacryl Putty

Paintable acrylic tile grout

- ✓ For filling exterior & interior joints, seams, fissures and cracks
- ✓ Applied without primer

| Shades | Packaging |
|--------|-----------|
| White | 280mL |



EN 15651-1,
EN 15651-2,
EN 15651-3



Silomer 100 - Silicone

Sanitary silicone

- ✓ For jointing and waterproofing of window panes, aluminum, tiles and bathtubs
- ✓ Excellent resistance to humidity and water

| Shades | Packaging |
|---------------------|-----------|
| Transparent & White | 280mL |



0-5%



8-12 m²/L



2-3 h



Superbond Primer

Quartz primer

- ✓ Ideal for smooth and non-absorbent surfaces
- ✓ Provides ideal adhesion conditions for the application of pressed cement screed, thermal insulation slabs, plaster, putty, tile grout etc. on exterior and interior surfaces
- ✓ Perfect adhesion on cement, tiles, metallic surfaces, plaster etc.
- ✓ Ready-to-use

| Shades | Packaging |
|--------------|----------------|
| Brownish red | 750mL, 3L, 10L |






Pool Paint

2-component epoxy pool paint

- ✓ Ideal for swimming pools
- ✓ Excellent resistance to water, chlorine and pool chemicals
- ✓ Excellent adhesion and long lasting protection

| Shades | Packaging |
|---------------------------|-----------|
| White, Light Blue (Gloss) | 3.5L |


5%
Epoxy Thinner


8-10 m²/L


1-2 h



Epoxy Thinner

- ✓ Thinner for epoxy pool paint and all other epoxy paints

| Packaging |
|-----------|
| 750mL |



Road Marking Paint

Acrylic road marking paint

- ✓ Ideal for marking roads, parkings and fields
- ✓ Fast drying and high reflectance
- ✓ Excellent resistance to weathering

| Shades | Packaging |
|---------------|-------------------|
| White, Yellow | 750mL, 2,5L, 25kg |


5-10%
T350 / T400


1-4 m²/L


10-20'





Silver

Aluminum paint for temperatures up to 200°C

- ✓ Suitable for exhausts, fireplaces, chimneys, heaters, barbecues and industrial applications

| Shades | Packaging |
|--------|---------------------|
| Silver | 180mL, 375mL, 750mL |



No dilution



12-14 m²/L



2-3 h






8-9 m²/L


3-5'

Spray't Color

| | |
|--------------------------|--|
| ✓ Acrylic paint Gloss | High quality fast drying acrylic spray with gloss finish in white, black and 18 RAL shades |
| ✓ Acrylic paint Mat | Mat finish, available in white and black |
| ✓ Fluorescent paint | With fluorescent finish for special markings in green, magenta and yellow |
| ✓ Acrylic metallic paint | Gold and silver metallic finish |
| ✓ Special effects | Mirror effect metallic gold and silver shades |
| ✓ High Temperature | High temperature spray (black) |
| ✓ Smalto | For white domestic appliances |
| ✓ Wheel | For aluminum and plastic wheel trims |
| ✓ Acrylic Varnish | For wooden surfaces |

Spray't Penetrating Oil

| | |
|-------------------|---|
| ✓ Penetrating Oil | For lubrication and cleaning of metal objects |
|-------------------|---|

Spray't Primer Anticorrosive

| | |
|------------------------|---------------------------|
| ✓ Anticorrosive Primer | Primer for metal surfaces |
|------------------------|---------------------------|

Spray't Primer Zinc Rich

| | |
|--------------------|---|
| ✓ Zinc Rich Primer | Zinc rich primer - cold galvanizing, the ultimate anticorrosive protection (grey) |
|--------------------|---|

Packaging
400mL



2-4 m²/L



15-40'

Paint Remover

Paint and varnish remover

- ✓ Removes old coatings without affecting the surface
- ✓ Dichloromethane free

Packaging

375mL, 750mL



Brush Solvent T300

- ✓ Thinner for 1K solvent based paints applied by brush or roller

Packaging

375mL, 750mL, 5L, 15L



Spray Gun Solvent T350

- ✓ Universal thinner for 1K or 2K solvent based paints applied by spray gun

Packaging

375mL, 750mL, 5L, 15L



Nitro Solvent T400

- ✓ Thinner for solvent based paints, varnishes and primers applied by spray gun

Packaging

750mL, 5L, 15L

A. WALL & CEILING PAINTING

1. BEFORE YOU START



Do you have sufficient paint?

Step 1. Make sure you have enough paint by calculating the total area of all surfaces you want to paint (walls: width x height + ceiling: room width x length).

Step 2. Divide the result by the paint coverage.

Step 3. Multiply by the amount of coating layers required, as stated in the product instructions.

smart tip

- For a more accurate calculation of the total surface, subtract the areas of the surfaces that are not to be painted (e.g. windows, doors etc.).

Do you have enough time?

Step 1. Consider the number of coats to be applied and the drying time.

smart tip

- Ideally, the sequence to be followed is: wooden surfaces, ceilings, walls.

Are the conditions right?

Do not apply products at temperatures below 5°C or above 35°C, under conditions of high relative humidity or on surfaces that are exposed to direct sunlight.

2. PREPARATION OF THE ROOM AND SURFACE



Protect the room and surfaces

Step 1. Protect the floor with corrugated cardboard and furniture with dust sheets.

Step 2. Apply paper tape to doors, window frames, etc. and to any "cut ins", as needed.

Step 3. Remove door knobs and sockets or cover them with paper tape.

Repair any flaws in the surfaces

Step 1. Wipe the dust and remove loose material.

Step 2. Remove dust from holes and cracks.

Step 3. Apply a suitable putty with a spatula widthwise to the crack in alternating directions.

Step 4. Let dry completely in accordance to packaging instructions and sand.

A. WALL & CEILING PAINTING

smart tip

- To remove mold, apply mold cleaner on the stain and wipe off with a dry cloth.

Priming the surface

Apply one coat of suitable primer following the packaging instructions regarding dilution, ambient conditions and drying time.

smart tip

- Selecting the suitable primer is essential for stabilization of the surfaces, coverage of stains when applying an intermediate layer for changes from dark to lighter color shades and for maximizing the hiding power of the top coat (PreColor Primer).

3. APPLYING PAINT

Cutting in



Step 1. Begin by cutting in around the edges of the ceiling, skirting boards, doors, window frames, closets, sockets, etc. using a suitable brush.

smart tip

- Apply the paint in smooth movements, holding the brush close to its bristles and pushing gently.

Painting the surface

Step 1. With a roller, apply paint to an area of approx. 30cm x 30cm in a bottom-to-top stroke, as close as possible to the edges.

Step 2. Gently apply a second coat in the same direction.

smart tip

- When painting ceilings, use a roller with an extension pole and apply the second coat crosswise.



B. PAINTING OF WOODEN SURFACES

1. BEFORE YOU START

Step 1. It is preferable to remove the doors from their hinges and paint them horizontally. If this is not possible, use paper tape to cover edges where needed.

2. PREPARING THE SURFACE



Sand and remove dust

Step 1. Use abrasive paper or a sander and remove any imperfections and roughen the surface; this will improve adhesion of the paint that you will apply.

Step 2. Remove residues and dust.

Repair any flaws in the surfaces

Step 1. Repair any cracks or holes using acrylic putty.

Step 2. Let the surface dry completely and sand it with abrasive paper or a special polishing sponge.

Priming the surfaces

Step 1. Apply one coat of suitable primer following the packaging instructions regarding dilution, ambient conditions and drying time.

smart tip

- Selecting the suitable primer is essential for stabilization of the surfaces, coverage of stains and when applying an intermediate layer for changes from dark to lighter color shades.

3. APPLYING THE PAINT



Cutting in

Step 1. Begin by cutting in around doors and window frames, using a brush.

Painting the surface

Step 1. Apply the paint using a roller (sponge) in top-to-bottom strokes.

Step 2. Apply the second coat according to the instructions on the packaging.

smart tip

- Ensure that the room is sufficiently ventilated.

C. PAINTING METAL SURFACES

1. BEFORE YOU START

Do you have sufficient paint? Are the conditions right?

Step 1. For railings, calculate the required amount of paint based on the length.

Step 2. For large metal surfaces (e.g. garage doors), calculate the total surface area.

2. PREPARING THE SURFACE



Sand and remove dust

Step 1. Sand the metal surface with abrasive paper or a polishing sponge until it becomes dull.

Step 2. Remove residues and dust.

Step 3. Wipe the surface with a cloth soaked in brush solvent.

Priming the surface

Step 1. Apply a suitable primer for better adhesion and long-lasting surface protection.

Step 2. When the surface is completely dry, sand and remove dust.

smart tip

- Edges may need more applications in order to achieve proper coverage.

3. APPLYING THE PAINT

Step 1. Apply the first coat paying special attention to the edges and the second coat according to the instructions on the packaging.

smart tip

- Apply an additional coat for extra protection of edges and decorative elements.





Technical Support

210.5589.400

Monday-Friday 09:00-15:00, Athens Time
NO ORDERS

customercare@vitex.gr

vitex.gr/en | vitextherm.gr/en | hermes.gr.com/en

